

The Ways to Install the Top mount Sinks

Install a top mount sink - the common type of sink that rests above the countertop.



The ways of Top mount installation:

- 1、 Most new sinks come with a template for installing them. Position the template or sink on your countertop, mark the outline. This will be the line you cut along, since the sink has a flange that needs to overlap onto the counter surface to support the weight of the sink.



- 2、 Place a strip of masking tape along the inside and outside of each cutout line. The tape protects the countertop surface from scratches while cutting. Use saber saw blade to cut the hole for the sink is straightforward. Drill 3/8" holes at the corners of the outline.





3. Using denatured alcohol on a rag, clean the top surface of the countertop around the hole, the underside of the sink flange.
4. Apply a bead of caulk on the surface of the countertop around the edge of the cutout. The caulk forms a watertight seal around the edge of the sink and prevents water damage to the laminate's substrate.



5. Turn the sink over and position it into the hole and press down on the sink to ensure the caulk is evenly spread.



6. Insert the retaining clips into the channels underneath the sink's outer lip. Use at least two clips on each side of the sink and three each for the front and back. Tighten the set screw in each retaining clip firmly with a screwdriver.



7、 Clean the edge of the sink with a clean wet towel.



Wipe away excess sealant.

If there is any infringement, please contact us.